

10. Psychiatry 精神病學

| | |
|--------------------------------|----------------|
| Acrophobia | 恐(畏)高症 |
| Acute organic brain syndrome | 急性器質性腦綜合徵 |
| Acute psychoses | 急性重性精神病 |
| Adjustment disorder | 適應障礙 |
| Admission (Acute) ward | 收症(急性)病室 |
| Affect | 情感 |
| Affectation | 矯飾 |
| Affective disorder | 情感症 |
| Aggressive behaviour | 暴力(攻擊性)行爲 |
| Agoraphobia | 恐(畏)曠症 |
| Akathisia | 靜坐不能 |
| Akinesia | 運動不能 |
| Alcohol dependence | 酒精依賴 |
| Alcohol misuse | 酒精誤用 |
| Alcoholism | 酗酒 |
| Alzheimer's disease | 阿滋海默氏症 / 阿氏痴呆症 |
| Ambivalence | 感情矛盾 |
| Amnesia | 失憶 |
| Amnesia, anterograde | 遠事失憶 |
| Amnesia, retrograde | 近事失憶 |
| Anorexia nervosa | 神經性厭食症 |
| Antidepressants | 抗憂(抑)鬱劑 |
| Anxiety | 焦慮 |
| Anxiety disorder | 焦慮症 |
| Anxiety, anticipatory | 預期的焦慮 |
| Anxiety, free floating | 自由浮動的焦慮 |
| Anxiolytics | 抗焦慮劑 |
| Apathy | 冷漠 |
| Apprehension | 憂慮 |
| Argumentative | 好爭論的 |
| Assertiveness training | 肯(堅)定訓練 |
| Attention | 注意力 |
| Autism | 自閉症 |
| Automatic obedience | 自動服從 |
| Aversion therapy | 嫌惡治療(療法) |
| Behaviour modification | 行爲更易法 / 行爲矯正 |
| Behaviour therapy | 行爲治療(療法) |
| Biofeedback | 生理回饋 |
| Bipolar affective disorder | 雙向情感症 |
| Bizarre behaviour | 怪異行爲 |
| Blunting affect | 情感表露缺乏(愚鈍) |
| Catastrophic reaction | 災難性反應 |
| Chronic organic brain syndrome | 慢性器質性腦綜合徵 |
| Circumstantial speech | 說話迂迴 |
| Clang association | 同音聯接 |
| Claustrophobia | 恐狹症 |
| Clouding of consciousness | 意識朦朧 |
| Cognitive behaviour therapy | 認知行爲治療(療法) |

| | |
|--|----------------|
| Cognitive therapy | 認知治療(療法) |
| Community Psychiatric Nurse | 精神科社康護士 |
| Community Psychiatric Nursing Services | 精神科社康護理服務 |
| Compulsion | 強迫行爲 |
| Concrete thinking | 具體思考 |
| Conduct disorders | 行爲異常 |
| Confabulation | 虛談 |
| Conversion disorder | 轉化症 |
| Cyclothymic disorder | 循環情緒症 |
| Deja vu | 似曾相識 |
| Delirium | 譫妄 |
| Delirium tremens | 震顫譫妄 |
| Delusion | 妄想 |
| Delusion of being controlled | 被控妄想 |
| Delusion of grandeur / grandiose delusion | 誇大妄想 |
| Delusion of guilt | 罪惡妄想 |
| Delusion of hypochondriasis | 疑病妄想 |
| Delusion of nihilism / Nihilistic delusion | 虛無妄想 |
| Delusion of persecution | 迫害妄想 |
| Delusion of reference / Idea of reference | 關係妄想 |
| Delusion of unworthiness | 無價值妄想 |
| Dementia | 痴呆症 |
| Dementia, pre-senile | 早老痴呆症 |
| Dementia, senile | 老年痴呆症 |
| Depersonalisation | 自我感喪失 |
| Depression | 憂(抑)鬱 / 憂(抑)鬱症 |
| Depression, endogenous | 內源性憂鬱 |
| Depression, involutional | 更年期憂鬱 |
| Depression, neurotic | 神經官能憂鬱症 |
| Depression, psychotic | 精神症憂鬱 |
| Depression, reactive | 反應性憂鬱 |
| Derealisation | 現實感喪失 |
| Despair / hopelessness | 絕望 |
| Detachment | 疏離 |
| Diagnostic and Statistical Manual | 精神疾病診斷統計手冊 |
| Disinhibition | 抑制解除 |
| Disorder of affect / mood | 情感 / 情緒障礙 |
| Disorder of behaviour | 行爲障礙 |
| Disorder of memory | 記憶障礙 |
| Disorder of perception | 知覺障礙 |
| Disorder of thought | 思想障礙 |
| Disorientation | 失去定向力 |
| Dissociative disorder | 解離症 |
| Diurnal variation | 晝夜差別 |
| Double binding | 雙困互動 |
| Drug dependence | 藥癮症 |
| Dyskinesia | 運動困難 / 不自主運動 |
| Echolalia | 仿語 |
| Echopraxia | 模仿動作 |
| Elated mood | 歡欣 / 高漲情緒 |
| Elation | 歡欣得意 |
| Electroconvulsive therapy | 腦電盪治療(療法) |

| | |
|-----------------------------------|-------------|
| Emotion | 情緒 |
| Empathy | 同感(理)心 |
| Epilepsy | 癲癇症 |
| Euphoria | 雀躍感 / 飄然自得感 |
| Exhibitionism | 暴露癖 |
| Extrapyramidal effect | 錐外效果(反應) |
| Family therapy | 家庭治療(療法) |
| Fatigue | 疲勞 |
| Fear | 恐懼 |
| Fetishism | 戀物狂 |
| Flattening of affect | 情感表露平淡 |
| Flight of ideas | 意念飛躍 |
| Forensic ward | 法醫精神病室 |
| Frigidity | 性冷感 |
| Fugue | 神遊症 |
| Giggling | 傻笑 |
| Grief | 悲(哀)傷 |
| Group therapy | 小組治療(療法) |
| Habit training | 習慣訓練 |
| Half-way house | 中途宿舍 |
| Hallucination | 幻覺 |
| Hallucination, auditory | 聽幻覺 |
| Hallucination, gustatory | 味幻覺 |
| Hallucination, olfactory | 嗅幻覺 |
| Hallucination, tactile | 觸幻覺 |
| Hallucination, visual | 視幻覺 |
| Helplessness | 無助 |
| Homosexuality | 同性戀 |
| Hostility | 敵意 |
| Hyperactivity | 活動過多 |
| Hyperaesthesia | 感覺過敏 |
| Hyperkinetic disorders | 活動過多症 |
| Hyperkinetic syndrome of children | 兒童過動綜合徵 |
| Hypochondriasis | 疑病症 |
| Hypomania | 輕躁狂症 |
| Hysteria | 歇斯底里 |
| Illusion | 錯覺 |
| Impulsive | 衝動的 |
| Impulsive behaviour | 衝動行爲 |
| Incoherent speech | 語無倫次 |
| Incongruous affect | 不協調情感 |
| Insight | 病悉(識)感 |
| Institutionalisation | 禁固性反應 |
| Involuntary admission | 非自願入院 |
| Involuntary patient | 非自願入院病者 |
| Irrelevant speech | 答非所問 |
| Irritability | 躁性 |
| Labile mood | 情緒波動 |
| Lack of volition | 缺乏意志 |
| Limit setting | 設定限制 |
| Loneliness | 孤獨 |
| Long-stay care home | 長期護理院 |

| | |
|---|---------------|
| Long-stay ward | 長期住院病室 |
| Loosening of association | 聯想鬆弛 |
| Loss | 失落 |
| Loss of drive | 失去動力 |
| Malingering | 裝病 |
| Mania | 躁狂症 |
| Manipulation | 操縱 |
| Mannerism | 作態行爲 |
| Mental disorder | 精神異常 |
| Mental handicap | 弱智 / 心智障礙 |
| Mental health | 心理衛生 / 精神健康 |
| Mental Health Ordinance | 精神健康條例 |
| Mental Health Review Tribunal | 精神健康覆核審裁處 |
| Mental hospital / Psychiatric hospital | 精神病醫院 |
| Mental illness | 精神病 |
| Milieu therapy | 環境治療(療法) |
| Mutism | 不言不語 |
| Negativism | 相反行爲 |
| Neologism | 新語症 |
| Neuroses (psychoneuroses) | 神經官能症 / 輕性精神病 |
| Obsession | 強迫思想 |
| Obsessive-compulsive disorder | 強迫症 |
| Oculogyric crisis | 眼旋危機 |
| Organic brain syndrome | 器質性腦症 |
| Orientation | 定向力 |
| Over-demanding | 過度要求 |
| Overactivity | 過度活動 |
| Paedophilia | 變童症 |
| Panic | 恐慌 |
| Panic disorder | 恐慌症 |
| Patient Resource and Social Centre | 病人資源及交誼中心 |
| Perception | 知覺 |
| Personality disorder | 人格異常 |
| Phobic disorder | 恐懼症 |
| Pica | 異食癖 |
| Postpartum depression | 產後憂(抑)鬱 |
| Pressure of speech | 說話急迫 |
| Psychiatric centre | 精神科中心 |
| Psychodynamics | 心理動力學 |
| Psychogeriatric ward | 老年(高齡)精神病室 |
| Psychoses | 重性精神病(症) |
| Psychoses, functional | 功能精神病 |
| Psychoses, organic | 器質性精神病 |
| Psychosexual disorders | 心理性性障礙 |
| Psychosomatic(Psychophysiological) disorder | 心身症 |
| Psychosurgery | 精神科外科手術 |
| Psychotherapy | 心理治療 |
| Reality orientation | 現實定向 |
| Rehabilitation | 復康 |
| Rehabilitation ward | 復康病室 |
| Reminiscence therapy | 懷緬(舊)治療(療法) |
| Resistive behaviour | 阻抗行爲 |

| | |
|------------------------------|--------------|
| Restlessness | 不安靜 / 坐立不安 |
| Restraint | 約束 |
| Schizophrenia | 精神分裂症 |
| Schizophrenia, catatonic | 緊張(僵直)型精神分裂症 |
| Schizophrenia, chronic | 慢性精神分裂症 |
| Schizophrenia, hebephrenic | 青春型精神分裂症 |
| Schizophrenia, paranoid | 偏執(猜疑)型精神分裂症 |
| Schizophrenia, simple | 簡單型精神分裂症 |
| Seclusion | 禁錮 |
| Self-awareness | 自我覺察 |
| Self-centred | 自我中心 |
| Sensitive | 敏感 |
| Sexual deviation | 性偏離(差) |
| Sexual masochism | 性被虐待症 |
| Sexual preference | 性取向 |
| Sexual sadism | 性虐待症 |
| Sheltered workshop | 庇護工場 |
| Social skill training | 社交技巧訓練 |
| Somnambulism / sleep walking | 夢遊病 |
| Stereotype | 刻板 |
| Stress | 壓力, 緊張 |
| Stubborn | 固執 |
| Stupor | 木僵 |
| Subacute ward | 亞急性病室 |
| Substance abuse | 物質濫用 |
| Substance misuse | 物質誤用 |
| Suicidal caution | 自殺警告 |
| Suicide | 自殺 |
| Sullen look | 怒容 |
| Superego | 超我 |
| Suspicious | 懷疑的, 猜疑的 |
| Sympathy | 同情心 |
| Tardive dyskinesia | 遲發的運動困難 |
| Temper tantrum | 陣怒 / 亂發脾氣 |
| Therapeutic community | 治療性社區 |
| Thought blocking | 思想停頓 |
| Thought broadcast | 思想廣播 |
| Thought insertion | 思想插入 |
| Thought retardation | 思想遲緩 |
| Token | 代幣 |
| Token economy | 代幣經濟 |
| Tranquillizer | 鎮靜劑 |
| Tranquillizer, major | 重鎮靜劑 |
| Tranquillizer, minor | 輕鎮靜劑 |
| Transvestic fetishism | 扮異症 |
| Transvestism | 異性裝癖 |
| Tremor | 震顫 |
| Vacant looking | 茫然神情 |
| Voluntary admission | 自願入院 |
| Voluntary patient | 自願入院病者 |
| Voyeurism | 窺淫癖 |
| Waxy flexibility | 蠟樣屈曲 |

Withdrawn
Word salad

退隱
字句拼盤 / 雜碎字句